



# WASTES

Our Smart fillers and wastes are sleek essentials for the bathroom. There are 'pop up' waste options, which are operated by a simple lever or 'click clack' waste options, which have a pushing mechanism. If you have a basin with an overflow, a slotted basin waste is the option for you, whereas a basin without an overflow requires an unslotted waste.

Our bottle traps and pipes have a chrome finish so if these are visible in your chosen installation, it will enhance the beautiful design of your basin.

For an elegant bath filler option, choose our Smartfill, which fills your bath from an outlet built into the overflow. When a Smartfill bath filler and waste is used in conjunction with a wall mounted bath mixer, you have the ultimate minimalistic look. The bath design can shine without any deck mounted taps detracting from its beauty!



# BATH wastes



Brass aerator tub filler  
NC132M & NC132



Extended

**BATH filler with pop up waste**

NC132M chrome £149.00 stocked

- ✓ Pop up waste & overflow
- ✓ Brass aerated water outlet
- ✓ 81-90 cm length



Colour options

**BATH filler with click clack waste**

NC132 chrome £139.00 stocked  
NC132.70 inox £159.00 stocked  
NC132.79 matt black £149.00 stocked

- ✓ Click clack waste & overflow
- ✓ Brass plug ø72 mm
- ✓ Brass water outlet spout
- ✓ 45-80 cm length



Extended

**BATH filler with pop up waste**

NC157P chrome £149.00 stocked

- ✓ Minimal bath filler
- ✓ Pop up waste & overflow
- ✓ ABS plug ø72 mm
- ✓ 81-90 cm length



**BATH filler with click clack waste**

NC157C chrome £139.00 stocked

- ✓ Minimal bath filler
- ✓ Click clack waste & overflow
- ✓ Brass plug ø42 mm
- ✓ Flexible overflow pipe
- ✓ 45-80 cm length



**BATH pop up waste**

NC104 chrome £49.00 stocked

- ✓ Minimal bath filler
- ✓ Pop up waste & overflow
- ✓ ABS plug ø72 mm
- ✓ 56-65 cm length



Colour options

**BATH click clack waste**

NC14 chrome £49.00 stocked  
NC14.70 inox £79.00 stocked  
NC14.79 matt black £69.00 stocked

- ✓ Minimal bath filler
- ✓ Click clack waste & overflow
- ✓ Brass plug ø42 mm
- ✓ Flexible overflow pipe
- ✓ 45-80 cm length

# BASIN wastes & traps



### BASIN click clack waste

- ✓ Round click clack waste
- ✓ Slotted or unslotted

NC300 slotted	brass chrome	£39.00	stocked
NC301 unslotted	brass chrome	£39.00	stocked



### BASIN click clack waste

- ✓ Round click clack waste
- ✓ "Universal" model

NC330	brass chrome	£39.00	stocked
NC330.70	inox	£59.00	stocked
NC330.79	matt black	£49.00	stocked



### SMART basin click clack waste

- ✓ Round click clack waste
- ✓ Slotted or unslotted

NOC535 slotted	chrome	£26.00	stocked
NOC545 unslotted	chrome	£26.00	stocked



### SMART round bottle trap

- ✓ Round 32mm
- ✓ Bottle trap and pipe

NC500	chrome	£89.00	stocked
NC500.70	inox	£139.00	stocked
NC500.79	matt black	£129.00	stocked



### SMART round bottle trap

- ✓ Round 32mm
- ✓ Bottle trap and pipe


NOC515	chrome	£49.00	stocked
--------	--------	--------	---------



### SMART square bottle trap

- ✓ Square 32mm
- ✓ Bottle trap and pipe

NOC525	chrome	£59.00	stocked
--------	--------	--------	---------



### SMART round pull-out shower

- ✓ Anti-drip waste kit
- ✓ Universal waste adaptor

NC10R	chrome	£209.00	stocked
-------	--------	---------	---------




### SMART square pull-out shower

- ✓ Anti-drip waste kit
- ✓ Universal waste adaptor


NC10S	chrome	£229.00	stocked
-------	--------	---------	---------

# VERSOBOX flow rates & Valve operation



## VERSOBOX 1 way flow rates

0.2 bar	7.4 l/m
0.5 bar	13.3 l/m
1.0 bar	19.6 l/m
2.0 bar	28.3 l/m
3.0 bar	34.1 l/m




## VERSOBOX 2 way flow rates

0.2 bar	8.7 l/m
0.5 bar	14.0 l/m
1.0 bar	19.6 l/m
2.0 bar	27.7 l/m
3.0 bar	34.4 l/m




## VERSOBOX 3 way flow rates

0.2 bar	5.3 l/m
0.5 bar	9.2 l/m
1.0 bar	12.8 l/m
2.0 bar	18.2 l/m
3.0 bar	22.4 l/m




## VERSOBOX 2 outlet flow rates

0.2 bar	9.4 l/m
0.5 bar	15.7 l/m
1.0 bar	22.9 l/m
2.0 bar	32.5 l/m
3.0 bar	39.6 l/m



## VERSOBOX 3 outlet flow rates

0.2 bar	9.2 l/m
0.5 bar	14.8 l/m
1.0 bar	21.1 l/m
2.0 bar	30.1 l/m
3.0 bar	37.3 l/m



## VERSOBOX 4 outlet flow rates

0.2 bar	8.5 l/m
0.5 bar	13.9 l/m
1.0 bar	20.4 l/m
2.0 bar	29.23 l/m
3.0 bar	35.7 l/m

### Key to operation:

A - On/Off control  
B - 2 way diverter

C - 3 way diverter  
D - Thermostatic control


# VERSOBOX installation



1. VersoBox allows for solid wall and stud wall installation



2. The clear cover acts as a tile guide and protective case when plastering the wall



3. Complete with tanking kit for added waterproofing



4. Once tiled it is easy to remove the protective case with a sharp blade



5. Once fully tiled it is completely waterproof



6. VersoBox is the solution for an easy installation